



STUDENT HEALTH (FIRST AID) POLICY

1. POLICY STATEMENT

At any one time, a student can have a health condition or care need that could impact on their attendance and participation within school. This can require short or long-term first aid planning, supervision for safety, routine health and personal care support and occasionally complex medical care needs.

Eltham East Primary School has a responsibility to provide equitable access to education and respond to diverse student needs, including health care needs.

This policy has been developed to assist supporting student health within a school environment in a pro-active manner.

2. GUIDELINES

- 2.1** Generally, schools are unable to provide for ill and recuperating students. Teachers require students to have relatively stable health and clear care plans. For example, teachers can generally safely supervise a child with a chronic health condition such as asthma or diabetes where the individual's health is relatively stable and predictable and care recommendations have been documented and agreed to by the school. If, however, a student has recently contracted an illness, is infectious and/or needs rest and recuperation, his or her care generally should be the responsibility of the family.
- 2.2** The school principal will ensure that families understand and follow the school's health support procedures.
- 2.3** At the initial meeting with families, prior to acceptance of enrolment, the principal or their nominees should specifically ask whether a child or student has any individual emergency or routine health and personal care support needs, such as: predictable emergency first aid associated with, for example, anaphylaxis (severe, life threatening allergy), seizure management or diabetes routine supervision for health care safety, such as supervision of medication personal care, including assistance with personal hygiene, continence care, eating and drinking transfers and positioning, and use of health related equipment.
- 2.4** Parents/carers are primarily responsible for the health and wellbeing of their children.
- 2.5** The school principal will ensure that allocation of staff duties anticipates predictable short and long-term health support needs of children and students in their care.
- 2.6** First Aid support in the school will be provided in response to unpredictable illness or injury.

3. PROGRAM

3.1 Our school has procedures for supporting student health for students with identified health needs (**see Appendix A**) and will provide a basic first aid response to ill or injured students due to unforeseen circumstances (**see Appendix B**) and requiring emergency assistance.

3.2 The first-aider will seek emergency assistance in situations where his or her training is not sufficient to keep the student safe. First aid trained staff should not have to wait for parent or guardian approval to take this emergency action. Delays could compromise safety. The first-aider should, however, notify the child's or student's emergency contact person as a matter of priority to inform him or her of the action taken. School procedures should ensure parents/carers are aware of, and accept, this policy with its associated obligation for payment by families for ambulance and other emergency services.

3.3 It is the principal's responsibility to:

- alert families to the need for health care plans if children or students need individual support
- develop, monitor and review the school's health support procedures
- manage health support planning
- involve relevant teachers in health support planning
- manage confidentiality
- ensure staff training requirements are fulfilled
- ensure delegated staff responsibilities reflect duty statements
- ensure facility standards are met
- be aware of health care services which visit the school
- manage archives of documented information

(See Appendix A: Management of Students with Health Care Needs)

3.4 If there is an indication that individual health care may be needed by a student, the parent/carer should be asked to provide a health care plan, written by a relevant health professional. The care plan should document recommended emergency and routine health and personal care support for the child or student. Information about medical conditions (such as asthma, epilepsy and incontinence) must be provided by a doctor or, in some cases, a clinical nurse consultant working under the direction of a doctor. A therapist (for example, a physiotherapist or a speech pathologist) will usually document information about therapeutic such as transfers and positioning, and mealtime assistance.

3.5 Some students will have a health care need identified after enrolment. The same steps should be followed. An interim health support plan might be needed.

3.6 It is the responsibility of parents/carers to:

- provide relevant health care information to the school
- liaise with health professionals to provide care plans which create minimum disruption to learning programs
- assist children or students for whom they are responsible to self manage, as much as is safe and practical, their health and personal care needs

(See Appendix A: Management of Students with Health Care Needs)

3.7 It is the responsibility of the school to:

- administer first aid for unpredictable illness or injury
- coordinate provision of first aid, including monitoring of equipment and facilities
- administer additional individual first aid support as negotiated (for example, administration of adrenalin via Epi-Pen for anaphylaxis)

Note: Invasive emergency care (such as administration of rectal diazepam for seizure management) is not a standard first aid procedure and so requires the involvement of a registered nurse.

(See Appendix B: First Aid Care Procedures)

3.8 The school will have a number of teachers and educational support staff trained in first aid able to treat unpredictable illness or injury.

One member of staff will be delegated the task of coordinating first aid procedures, supervising the first aid facility and maintaining and securing the contents of the school's first aid kit. A relief staff member will be nominated in the event of the absence of the first aid coordinator. Other staff with first aid qualifications will be identified and available to assist.

(See Appendix B: First Aid Care Procedures)

3. LINKS AND APPENDICES (including processes related to this policy)

Links which are connected with this policy are:

- <http://www.education.vic.gov.au/school/principals/spag/health/pages/healthcareneeds.aspx>
- <http://www.education.vic.gov.au/school/principals/spag/health/Pages/studenthealth.aspx>
- <http://www.education.vic.gov.au/school/principals/spag/health/pages/firstaid.aspx>
- <http://www.education.vic.gov.au/school/principals/spag/health/pages/anaphylaxis.aspx>
- <http://www.education.vic.gov.au/school/principals/spag/management/pages/medical.aspx>
- <http://www.education.vic.gov.au/school/principals/spag/health/pages/medication.aspx>
- <http://www.education.vic.gov.au/school/principals/spag/health/Pages/caresupport.aspx>

Appendices which are connected with this policy are:

- Appendix A: Managing Students with Special Health Needs
- Appendix B: First Aid Care Procedures
- Appendix C: Anaphylaxis Management Plan

Appendix A

Managing Students with Special Health Needs

Any information provided to the school on the enrolment form or separately, will be taken into account when planning the care of a student. Where students have a health care need identified after enrolment, the same steps will be followed.

1. When a need is identified

Parents/carers are required to provide accurate information about a student's routine health and personal care support needs, and emergency care needs, for example:

- predictable emergency first aid associated with an allergic reaction, seizure management, anaphylaxis, or diabetes
- routine supervision for health care safety, such as supervision of medication
- personal care, including assistance with personal hygiene, continence care, eating and drinking, transfers and positioning, and use of health-related equipment

Parents/carers and students will be informed when their information is being collected, about how their personal information will be used, and to whom it might be disclosed. For example, to school nurses, who will require access to relevant student information in order to provide appropriate services.

Medical advice is required from the student's medical/health practitioner if there is an indication that a student has a health care need. The medical advice received must provide relevant information about the student's medical condition and document recommended emergency and routine health and personal care support for the student. Ideally medical advice should be sought via the completion of a relevant Medical Advice Form.

For any student requiring medication while at school, the school must receive written directions ideally from the student's medical/health practitioner. This can be done via the completion of a Medication Authority Form or ASCIA Action Plan for anaphylaxis or School Asthma Action Plan for asthma.

Information about the student's health condition as well as medication to be stored and supervised at school should be loaded in Cases21 Database.

The development of a Student Health Support Plan (or in the case of Anaphylaxis an Anaphylaxis Management Plan) will occur after the school has received the appropriate medical advice from the student's medical/health practitioner. If there is a time delay between receiving this advice and in the development of a Student Health Support Plan, the school may decide to put in place an interim support plan outlining an agreed interim strategy, e.g. call an ambulance immediately.

Plans should be developed when a student is to attend school excursions and camps. The parent/carer should complete a Confidential Medical Information for School Council Approved School Excursion.

2. The planning process

The principal (or nominee) will organise a meeting to negotiate the development of a Student Health Support (or in the case of Anaphylaxis an Anaphylaxis Management Plan with the student, student's parents/carers and other relevant school staff. This Support Plan should be guided by the medical advice received by the student's medical/health practitioner.

A range of questions may be asked in planning support. For example:

- *Is it necessary to provide the support during the school day?*
- *How can the recommended support be provided in the simplest manner, with minimal interruption to the education and care program?*
- *Who should provide the support?*
- *Is this support complex and/or invasive?*
- *Is there staff training required?*
- *Are there any facilities issues that need to be addressed?*
- *How can the support be provided in a way that respects dignity, privacy, comfort and safety and enhances learning?*
- *Are there any care and learning plans that should be completed for students with personal care support?*

This information is provided to parents/guardians on a regular basis via the school newsletter. Outside of these times the supervision and/or the collection of students is the responsibility of parents/guardians.

Sufficient teachers will be allocated by the school principal or their nominee to supervise students during these periods

Should a teacher be called away to other duties alternate supervision arrangements will be put in place in consultation with the principal or their nominee.

3. Monitoring and review

A date for when medical advice received by the student's medical/health practitioner is to be reviewed (generally within twelve months) will be set.

Student Health Support Plans (or in the case of Anaphylaxis an Anaphylaxis Management Plan (see 4.5.10.2)) will be annually reviewed in light of the updated information received by the student's medical/health practitioner. Student Health Support Plans will be reviewed earlier if the school or the student's parents/carers have concerns or if there is any change in the support.

It may be agreed that an annual review of the Student Health Support Plan may not require updated medical advice. It is up to the principal's discretion to request updated medical advice for a student.

Appendix B

First Aid Care Procedures

1. Introduction

The school has procedures for supporting student health for students with identified health needs (see **Appendix A**) and will provide a basic first aid response as set out in the procedure below to ill or injured students due to **unforeseen circumstances** and requiring **emergency** assistance.

These procedures have been communicated to all staff and are available for reference from the school office.

2. First Aid Officers

Consistent with the Department's First Aid Policy and Procedures, the school will allocate staff member/s as First Aid Officer/s. The names and details of First Aid Officers, including their level of first aid and first aid expiry dates, will be provided as soon as they are known.

2.1 First Aid Officer Duties

The First Aid Officer/s is required to undertake a coordinating role maintaining standard medical service provision, student medical records and parent notifications.

Their specific duties include:

- Participating in the risk management process within the school as part of the school's OHS team. This may include contributing to risk management solutions and providing feedback on injury reports and first aid register data to identify persistent or serious hazards.
- Providing first aid emergency awareness training for staff including emergency notification processes, a list of responsible officers and provision of emergency phone numbers.
- Coordinating first aid duty rosters and maintaining first aid room and first aid kits
- Providing first aid services commensurate with competency and training. This may include all or some of emergency life support including response to life threatening conditions which may occur in the school (e.g. cardiac arrest or respiratory difficulties associated with asthma), management of severe bleeding, basic wound care, fractures, soft tissue injury.
- Recording all first aid treatment. A copy of treatment provided shall be forwarded with the patient where further assistance is sought. The first aider should respect the confidential nature of any information given.
- Providing input on first aid requirements for excursions and camps.

The First Aid Officer/s will be available at the school during normal working hours and at other times when authorised Department programs are being conducted.

Where possible, only staff with first aid qualifications will provide first aid. However, in an emergency other **staff may be required to help within their level of competency.**

3. Procedures for Medical Treatment

In the event of a student requiring medical attention, an attempt will be made to contact the parents/guardians before calling for medical attention except in an extreme emergency.

In serious cases, parents/guardians will always be informed as quickly as possible of their child's condition and of the actions taken by the school.

All accidents and injuries will be recorded on the Department's injury management system on CASES21.

A Record of First Aid Treatment will be kept in the First Aid Room and information recorded for all students treated in the First Aid Room. Parents will be notified using a proforma first aid report of any injuries to the head, face, neck or back.

It is the policy of the school that all injuries to the head are reported to Principal Team Member in charge of First Aid and that parents/emergency contacts are contacted regarding the injury.

First aid kits will be available for all groups that leave the school on excursions. The content of these kits will be dependent on the nature of the activities, the number of students and staff, and the location of the excursion.

Portable first aid kits will be available for staff on yard duty. These kits will contain:

- a pair of single use plastic gloves
- a bottle of sterile eye solution
- gauze and band-aids
- record book & pen
- First Aid passes

4. Assessment and First Aid Treatment of an Asthma attack

If a student develops signs of what appears to be an asthma attack, appropriate care must be given immediately.

4.1 Assessing the severity of an asthma attack

Asthma attacks can be:

- **Mild** - this may involve coughing, a soft wheeze, minor difficulty in breathing and no difficulty speaking in sentences
- **Moderate** - this may involve a persistent cough, loud wheeze, obvious difficulty in breathing and ability to speak only in short sentences

- **Severe** - the student is often very distressed and anxious, gasping for breath, unable to speak more than a few words, pale and sweaty and may have blue lips.

All students judged to be having a severe asthma attack require emergency medical assistance.

Call an ambulance (dial 000), notify the student's emergency contact and follow the '*4 Step Asthma First Aid Plan*' while waiting for the ambulance to arrive. When calling the ambulance state clearly that a student is having 'breathing difficulties.' The ambulance service will give priority to a person suffering extreme shortness of breath. Regardless of whether an attack of asthma has been assessed as mild, moderate or severe, Asthma First Aid (as detailed below) must commence immediately. The danger in any asthma situation is delay. Delay may increase the severity of the attack and ultimately risk the student's life.

4.2 Asthma First Aid

If the student has an Asthma Action Plan, follow the first aid procedure immediately. If no, Asthma Action Plan is available in the steps outlined below should be taken immediately.

The 4 Step Asthma First Aid Plan (displayed in First Aid Room and classrooms):

Step 1

Sit the student down in as quiet an atmosphere as possible. Breathing is easier sitting rather than lying down. Be calm and reassuring. Do not leave the student alone.

Step 2

Without delay give 4 separate puffs of a blue reliever medication (*Airomir, Asmol, Epaq or Ventolin*). The medication is best given one puff at a time via a spacer device. If a spacer device is not available, simply use the puffer on its own. Ask the person to take 4 breaths from the spacer after each puff of medication.

Step 3

Wait 4 minutes. If there is little or no improvement repeat steps 2 and 3.

Step 4

If there is still little or no improvement; call an ambulance immediately (dial 000). State clearly that a student is having 'breathing difficulties.'

Continuously repeat steps 2 and 3 while waiting for the ambulance.

5. Assessment and First Aid Treatment of Anaphylaxis

What is anaphylaxis?

Anaphylaxis is a severe, rapidly progressive allergic reaction that is potentially life threatening. Although allergic reactions are common in children, severe life threatening

allergic reactions are uncommon and deaths are rare. However, deaths have occurred and anaphylaxis is therefore regarded as a medical emergency that requires a rapid response.

Signs and symptoms

The symptoms of a mild to moderate allergic reaction can include:

- swelling of the lips, face and eyes
- hives or welts
- abdominal pain and/or vomiting.

Symptoms of anaphylaxis (a severe allergic reaction) can include:

- difficulty breathing or noisy breathing
- swelling of the tongue
- swelling/tightness in the throat
- difficulty talking and/or a hoarse voice
- wheezing or persistent coughing
- loss of consciousness and/or collapse
- young children may appear pale and floppy.

Symptoms usually develop within 10 minutes to one hour of exposure to an allergen but can appear within a few minutes.

The role and responsibilities of the principal

This principal or nominee has overall responsibility for implementing strategies and processes for ensuring a safe and supporting environment for students at risk of anaphylaxis. The principal will:

- Actively seek information to identify students with severe life threatening allergies at enrolment.
- Conduct a risk assessment of the potential for accidental exposure to allergens while the student is in the care of the school.
- Meet with parents/carers to develop an Anaphylaxis Management Plan for the student. This includes documenting practical strategies for in-school and out-of-school settings to minimise the risk of exposure to allergens, and nominating staff who are responsible for their implementation.
- Request that parents provide an ASCIA (Australasian Society of Clinical Immunology and Allergy) Action Plan that has been signed by the student's medical practitioner and has an up to date photograph of the student
- Ensure that parents provide the student's EpiPen® and that it is not out of date.
- Ensure that staff obtain training in how to recognise and respond to an anaphylactic reaction, including administering an EpiPen®.
- Develop a communication plan to raise student, staff and parent awareness about severe allergies and the school's policies.
- Provide information to all staff so that they are aware of students who are at risk of anaphylaxis, the student's allergies, the school's management strategies and first aid procedures. This can include providing copies or displaying the student's ASCIA Action Plan in canteens, classrooms and staff rooms, noting privacy considerations.
- Ensure that there are procedures in place for informing casual relief teachers of students at risk of anaphylaxis and the steps required for prevention and emergency response.

- Ensure that any external canteen provider can demonstrate satisfactory training in the area of anaphylaxis and its implications on food handling practices.
- Allocate time, such as during staff meetings, to discuss, practise and review the school's management strategies for students at risk of anaphylaxis. Practise using the trainer EpiPen® regularly.
- Encourage ongoing communication between parents/carers and staff about the current status of the student's allergies, the school's policies and their implementation.
- Review the student's Anaphylaxis Management Plan annually or if the student's circumstances change, in consultation with parents.

The role and responsibilities of all school staff who are responsible for the care of students at risk of anaphylaxis

School staff who are responsible for the care of students at risk of anaphylaxis have a duty to take steps to protect students from risks of injury that are reasonably foreseeable. This may include administrators, canteen staff, casual relief staff, and volunteers. Members of staff are expected to:

- Know the identity of students who are at risk of anaphylaxis.
- Understand the causes, symptoms, and treatment of anaphylaxis.
- Obtain training in how to recognise and respond to an anaphylactic reaction, including administering an EpiPen®.
- Know the school's first aid emergency procedures and what your role is in relation to responding to an anaphylactic reaction.
- Keep a copy of the student's ASCIA Action Plan (or know where to find one quickly) and follow it in the event of an allergic reaction.
- Know where the student's EpiPen® is kept. Remember that the EpiPen® is designed so that anyone can administer it in an emergency.
- Know and follow the prevention strategies in the student's Anaphylaxis Management Plan.
- Plan ahead for special class activities or special occasions such as excursions, incursions, sport days, camps and parties. Work with parents/carers to provide appropriate food for the student.
- Be aware of the possibility of hidden allergens in foods and of traces of allergens when using items such as egg or milk cartons in art or cooking classes.
- Be careful of the risk of cross-contamination when preparing, handling and displaying food.
- Make sure that tables and surfaces are wiped down regularly and that students wash their hands after handling food.
- Raise student awareness about severe allergies and the importance of their role in fostering a school environment that is safe and supportive for their peers.

Individual Anaphylaxis Management Plans

Every student who has been diagnosed as at risk of anaphylaxis will have an individual Anaphylaxis Management Plan.

The student's Anaphylaxis Management Plan will clearly set out:

- the type of allergy or allergies.

- the student's emergency contact details.
- practical strategies to minimise the risk of exposure to allergens for in-school and out of class settings, including:
 - » during classroom activities
 - » in canteens or during lunch or snack times
 - » before and after school, in the yard and during breaks
 - » for special events such as incursions, sport days or class parties
 - » for excursions and camps.
- the name of the person/s responsible for implementing the strategies.
- information on where the EpiPen® will be stored.

The Anaphylaxis Management Plan will also include an individual ASCIA Action Plan, which sets out the emergency procedures to be taken in the event of an allergic reaction. (ASCIA, the Australasian Society of Clinical Immunology and Allergy, is the peak body of immunologists and allergists in Australia).

It is the responsibility of parents/carers to complete an ASCIA Action Plan, in consultation with their child's medical practitioner, and provide a copy to the School. The ASCIA Action Plan must be signed by the student's medical practitioner, and have an up to date photograph of the student.

As a student's allergies may change with time, our School will ensure that the student's Anaphylaxis Management Plan and ASCIA Action Plan are kept current and reviewed annually with the student's parents/carers. When reviewed, parents will be expected to provide an updated photo of the child for the ASCIA Action Plan.

See Appendix D: Anaphylaxis Management Plan Cover Sheet

6. First Aid Kit Contents

Consistent with the Department's First Aid Policy and Procedures the school will maintain a First Aid Kit that includes the following items:

- an up-to-date first aid book – examples include:
 - First aid: Responding to Emergencies, Australian Red Cross
 - Australian First Aid, St John Ambulance Australia (current edition)
 - Staying Alive, St John Ambulance Australia, (current edition)
- wound cleaning equipment
 - gauze swabs: 100 of 7.5 cm x 7.5 cm divided into small individual packets of five
 - sterile saline ampoules: 12 x 15 ml and 12 x 30 ml
 - disposable towels for cleaning dirt from skin surrounding a wound
- wound dressing equipment
 - sterile, non-adhesive dressings, individually packed: eight 5 cm x 5 cm, four 7.5 m x 7.5 m, four 10 cm x 10 cm for larger wounds
 - combine pads: twelve 10 cm x 10 cm for bleeding wounds
 - non-allergenic plain adhesive strips, without antiseptic on the dressing, for smaller cuts and grazes
 - non-allergenic paper type tape, width 2.5 cm–5 cm, for attaching dressings
 - conforming bandages for attaching dressings in the absence of tape or in the case of extremely sensitive skin

- six sterile eye pads, individually packed
- bandages
 - four triangular bandages, for slings, pads for bleeding or attaching dressings, splints, etc
 - conforming bandages: two of 2.5 cm, two of 5 cm, six of 7.5 cm and two of 10 cm – these may be used to hold dressings in place or for support in the case of soft tissue injuries
- lotions and ointments
 - cuts and abrasions should be cleaned initially under running water followed by deeper and more serious wounds being cleaned with sterile saline prior to dressing. Antiseptics are not recommended
 - single use sterile saline ampoules for the irrigation of eyes
 - asthma equipment (which should be in all major portable kits, camping kits, sports kits, etc)
 - blue reliever puffer (e.g. Ventolin) that is in date
 - disposable spacer device
 - alcohol wipes

Other equipment includes:

- single use gloves – these are essential for all kits and should be available for teachers to carry with them, particularly while on yard duty
- blood spill kits
- vomit spill kits
- one medicine measure for use with prescribed medications
- disposable cups
- one pair of scissors (medium size)
- disposable splinter probes and a sharps container for waste
- disposable tweezers
- one teaspoon
- disposable hand towels
- pen-like torch, to measure eye-pupil reaction
- two gel packs, kept in the refrigerator, for sprains, strains and bruises or disposable ice packs for portable kits
- adhesive sanitary pads, as a backup for personal supplies
- blanket and sheet, including a thermal accident blanket for portable kits
- germicidal soap and nail brush for hand-cleaning only
- one box of paper tissues
- paper towel for wiping up blood spills in conjunction with blood spill kit
- single use plastic rubbish bags that can be sealed, for used swabs and a separate waste disposal bin suitable for taking biohazard waste (note: Biohazard waste should be burnt and there are several companies that will handle bulk biohazard waste)
- ice cream containers or emesis bags for vomit

7. Emergency Telephone Numbers

Poisons Information Service

13 11 26

Ambulance

000

Appendix C:

Anaphylaxis Management Plan

Cover Sheet

This Plan will be completed by the principal or nominee on the basis of information from the student's medical practitioner provided by the parent/carer.

School:		
Phone:		
Student's name:		
Date of birth:		Year level:
Severely allergic to:		
Other health conditions:		
Medication at school:		
Parent/carer contact:	Parent/carer information (1)	Parent/carer information (2)
	Name:	Name:
	Relationship:	Relationship:
	Home phone:	Home phone:
	Work phone:	Work phone:
	Mobile:	Mobile:
	Address:	Address:

Other emergency contacts (if parent/carer not available):	
Medical practitioner contact:	
Emergency care to be provided at school:	
EpiPen® storage:	
The following Anaphylaxis Management Plan has been developed with my knowledge and input and will be reviewed on	
Signature of parent:	Date:
Signature of principal (or nominee):	Date:

Strategies to Avoid Allergens

Student's name:		
Date of birth:	Year level:	
Severe allergies:		
Other known allergies:		
Risk	Strategy	Who?